PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE cond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449A/PTO	)			Complete if Known
				Application Number	10/614,160
1	NFORMATION			Filing Date	July 8, 2003
3	STATEMENT	BY A	APPLICANT	First Named Inventor	John T. Moore, et al.
	(use as many sh	eets as	necessary)	Art Unit	4818 2827
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,	Examiner Name	Not Yet Assigned V. NGULLE
Sheet	1	of	11	Attorney Docket Number	M4065.0715/P715

			U.S. PA	TENT DOCUMENTS	
Examiner	Cite	Document Number	Publication Date	Name of Patentee or Applicant	Pages, Columns, Lines, Where Relevant
Initials*	No.	Number-Kind Code <sup>2</sup> (# known)	MM-DD-YYYY	of Cited Document	Passages or Relevant Figures Appear
Ū	AA	2002/0000666	1/3/2002	Kozicki et al.	
3	AB	2002/0072188	6/13/2002	Gilton	
2	AC	2002/0106849	08/08/2002	Moore	
	AH	2002/0123169	09/05/2002	Moore et al.	
	Al	2002/0123170	09/05/2002	Moore et al.	
	AJ	2002/0123248	09/05/2002	Moore et al.	
	AK	2002/0127886	09/12/2002	Moore et al.	
	AL	2002/0132417	09/09/2002	Li	
	AF	2002/0160551	10//31/2002	Harshfield	
	AG	2002/0163828	11/07/2002	Krieger et al.	
	AM	2002/0168820	11/2002	Kozicki	
	AN	2002/0168852	11/14/2002	Harshfield et al.	
	AO	2002/0190289	12/19/2002	Harshfield et al.	
	AP	2002/0190350	12/19/2002	Kozicki et al.	
	AQ	2003/0001229	01/02/2003	Moore et al.	
	AR	2003/0027416	02/06/2003	Moore	
	AS	2003/0032254	02/13/2003	Gilton	
	AT	2003/0035314	02/20/2003	Kozicki	
	AU	2003/0035315	02/20/2003	Kozicki	
	ΑV	2003/0038301	02/27/2003	Moore	
	AW	2003/0043631	03/06/2003	Gilton et al.	
	AX	2003/0045049	03/06/2003	Campbell et al.	
	AY	2003/0045054	03/06/2003	Campbell et al.	
	ΑZ	2003/0047765	03/13/2003	Campbell	
	AA1	2003/0047772	03/13/2003	Li	
		2003/0047773	03/13/2003	Li	
		2003/0048519		Kozicki	
		2003/0049912	03/13/2003	Campbell et al.	
		2003/0068861	04/10/2003	Li	
	AF1	2003/0068862	04/10/2003	<u>Li</u>	
		2003/0095426	05/22/2003	Hush et al.	
		2003/0096497	05/22/2003	Moore et al.	+/
	Al1	2003/0107105	06/12/2003	Kozicki	<del>-  </del>
	AJ1	2003/0117831	06/26/2003	Hush	
	AK1	2003/0128612	07/10/2003	Moore et al.	
	AL1	2003/0137869	07/24/2003	Kozicki	
		2003/0143782	07/31/2003	Gilton et al.	
		2003/0155589	08/21/2003	Campbell et al.	<del></del>
		2003/0155606	08/21/2003	Campbell et al.	
-+-+		2003/0156447	08/21/2003	Kozicki	
	AQ1	2003/0156463	08/21/2003	Casper et al.	
<del></del>	AR1	2003/0209728	11/13/2003	Kozicki et al	
<del></del>	AS1	2003/0209720	11/13/2003	Kozicki et al	<del></del>
<del></del>	AT1	2003/02099/1	11/13/2003	Kozicki et al	
	ALL	2000/02 10004	1/13/2003	ועסקומעו בו פו	_ L -

1695747 v1; 10CG301I.DOC

OIPE CITY OF THE PERSON OF THE

PTO/SB/08A (10-01)
Approved for use through 10/31/2002,OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE cond to a collection of information unless it contains a valid OMB control number.

Under the perwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

TRADE	Resperv	ork Reduction A	ct of 199	5, no persons an	e required to res	spond to a collection of Infor			OMB control number
Subs	titute for	form 1449A/PT	0				Complete if	Known	
IN		OLTABA	NI D	ISCLOS	IIDE.	Application Number	10/614,160		
				APPLIC.		Filing Date	July 8, 20		
"	1711	-1411-141	יט	AII LIO	~141	First Named Inventor	John T. I	Moore, et al	
1	(4	use as many s	heets a	s necessary)		Art Unit	4816	2	2827
			<del>.</del>			Examiner Name	Not Yet	\ssigned-	V. Now
Sheet		2	of	1	1	Attorney Docket Number	M4065.0	715/P <b>7</b> 15	
IN	AU1	3,622,319		11/197	1 Shar	p .		T ===	<del></del>
Ch.	AV1	3,743,847		7/1973	Bola	nd			
W	AW1	4,269,935		5/1981	Mast	ers et al.			
	AX1	4,312,938		1/1982	Drex	ler, et al.			
		4,316,946		1/1982		ers, et al.			
		4,320,191		3/1982		ikawa et al.			· · · · · · · · · · · · · · · · · · ·
		4,405,710		9/1983		subramanyam et al.		<b></b>	
		4,419,421		12/198		elhaus, et al.		-	
<del></del>		4,499,557		2/1985		berg et al.	··· ·	<del> </del>	
<del>     </del>		4,671,618		06/09/1				<del> </del>	
		4,795,657		1/1989		ilgoni et al.		<del></del>	
		4,800,526		01/24/1					· · · · · · · · · · · · · · · · · · ·
<del></del>		4,847,674		7/1989		et al.		<del>                                     </del>	
<b></b>		5,177,567		1/1993				+	
-		5,219,788		6/1993		y et al.		<del> </del> -	
<b></b>						nathey et al.		-	
		5,238,862		8/1993		ck et al.			
1		5,272,359		12/21/1		subramanian et al.		ļ	
<b></b>		5,314,772		5/24/19				ļ	
		5,315,131		5/1994		moto et al.			
		5,350,484		9/1994		ner et al.			<del></del>
$\vdash$		5,360,981		11/199		n et al.		ļ	
		5,500,532	<del></del>	3/19/19		cki et al.			
		5,512,328		4/1996		imura et al.			
		5,512,773		4/1996		et al.			
$\vdash$		5,726,083		3/1998					
		5,751,012		5/12/19		tenholme et al.			
		5,761,115		6/1998		ki et al.			
		5,789,277		8/1998		rik et al.	•		
	AW2	5,814,527		9/29/19	98 Wols	tenholme et al			
		5,818,749		10/06/1	998 Hars			T	
	AY2	5,841,150		11/199	B Gonz	alez et al.			
	AZ2	5,846,889		12/199		ison et al.		<u> </u>	
	AA3	5,851,882		12/22/1	998 Hars	hfield		1	
	AB3	5,869,843		2/9/199					
	AC3	5,896,312		4/20/19		ki et al.	• • • • • • • • • • • • • • • • • • • •		
		5,914,893		6/22/19		ki et al.		1	<del>/</del>
		5,920,788		7/1999			****	1	
		5,998,066		12/199		c et al.	······································	<del>                                     </del>	
<del></del>		6,031,287		2/29/20			<del></del>	<del>                                     </del>	
		6,072,716		06/06/2		oson et al.		-	
<del></del>		6,077,729		6/2000				<del> </del>	
<del></del>		6,084,796		7/4/200		ki et al.		<del> </del>	
<del></del>		6,177,338		1/2001				<del> </del>	
$\vdash$		6,117,720		9/2000		et al.		<del>                                      </del>	
<del>   </del>			•						
1-7-		6,143,604		11/2004		ng et al.		<del> </del>	
H/25-		6,236,059		5/2001		teinholme et al.			
(A)		6,297,170		10/200		iel et al.	· · · · · · · · · · · · · · · · · · ·	<b>-</b>	
W		6,300,684 6,316,784		10/200 11/200		alez et al.		<u> </u>	
W						rik et al.			

1695747 v1; 10CG3011.DOC

OIPE 0 2 2003

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031

	Known	Complete if		Substitute for form 1449A/PTO						
	30	10/614,1	Application Number							
	103	July 8, 20	Filing Date		CLOSURI					
	loore, et al.		First Named Inventor	T	PLICAN	BY A	EMENT	TATE	S	
	2827	4818	Art Unit		essarv)	eets as	use as many sl	l		
418	ssigned V. Now	Not Yet	Examiner Name							
	715/P715	M4065.0	Attorney Docket Number		11	of	3		eet	
			man et al.	Frey	12/2001		6,329,606	AR3	N	
>		~	re et al.		2/19/2002		6,348,365	AS3	W.	
			aniel et al.	McD	2/2002		6,350,679	AT3	W	
>			zalez et al.	Gonz	4/2002		6,376,284	AU3	1	
			cki et al.	Kozi	5/14/2002		6,388,324	AV3	1	
			zalez et al.	Gonz	5/2002		6,391,688	AW3		
			cur et al.	Thak	7/2002		6,414,376	AX3		
			cki et al.	Kozi	7/9/2002		6,418,049	AY3		
			hfield	Hars	7/16/2002		6,420,725	AZ3		
	7		al.	Liet	7/2002		6,423,628			
			hfield	Hars	8/27/2002		6,440,837	AB4		
			cki	Kozi	10/2002		6,469,364		1	
			tiev et al.		10/2002		6,473,332		un/	
			cki	Kozi	11/26/2002		6,487,106	AE4	<u>~~</u>	

	FOREIGN PATENT DOCUMENTS								
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	П			
Initials*	No.1	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear				
2	BA /	56126916	10/19981	Akira et al.					
M	BB~	WO 97/48032	12/18/1997	Kozicki et al.					
W.	BC /	WO 99/28914	06/10/1999	Kozicki et al.		柙			
M	BD /	WO 00/48196	08/17/2000	Kozicki et al.		口			
W	BE /	WO 02/21542	03/14/2002	Kozicki et al.		П			

			<del></del>
Examiner		Date	-1-1
	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1	Uate	017110
Signature	$1/i$ $1/\sigma_1/M/M$	0	<b>つ/5//0</b> ) i
Signature	0 ,0 , 0 , 0 , 0	Considered	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

VIET Q. NGUYEN PRIMARY EXAMINER

Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
TRANSfer the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 14498/PT0	5		Complete if Known		
				Application Number	10/614,160	
11	NFORMATION	N DI	SCLOSURE	Filing Date	July 8, 2003	
5	STATEMENT	BY /	APPLICANT	First Named Inventor	John T. Moore, et al.	
				Group Art Unit	4818 2827	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned V. Now	
Sheet	.4	of	11	Attorney Docket Number	M4065.0715/P715	

Examiner	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	
nitials	No.1	item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T2
W	CA /	Abdel-All, A.; Elshafie,A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
W	CB /	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	T
W	cc /	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	T
)	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
	CE _	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	
	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	T
	CG /	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.	
+	CH /	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.  Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state ionics 136-137 (2000) 1085-1089.	
	2 /	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	t
	CK /	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
	с <sub>1</sub> /	Axon Technologies Corporation, Technology Description: <i>Programmable Metalization Cell(PMC)</i> , pp. 1-6 (Pre-May 2000).	
	CM /	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	
	CN /	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.	Ī
	8	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	Ī
	CP /	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	T
	ca	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	T
	CR /	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155- 160.	T
S	cs/	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	
W	CT /	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.	
ΔN /		Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	Γ
W		Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982)	Γ

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0851-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
TRADETER THE Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	ibstitute for form 1449B/PTC	)			Complete if Known	
				Application Number	10/614,160	
11	<b>VFORMATION</b>	N DI	SCLOSURE	Filing Date	July 8, 2003	
l 8	STATEMENT I	BY A	APPLICANT	First Named Inventor	John T. Moore, et al.	
				Group Art Unit	4818 2827	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned V. Nowe	19u
Sheet	5	of	11	Attorney Docket Number	M4065.0715/P715	

_	_	Γ	2017 2014	γ						
		-	217-224.							
11	D	CW	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State							
	<u>'</u>		lonics 70/71 (1994) 72-76.	L						
1	J	cx /	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x							
			Glasses, Asian Journal of Physics (2000) 9, 709-72.	<u> </u>						
1/	J	CY	Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes,	1						
	,-		Nature 410 (2001) 1070-1073.							
		CZ	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in							
	L		Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703							
	. CA1		Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in							
i i	1 1		stéps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F.							
			Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.	1						
		CB1	Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous							
1 1			chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54							
1 (			(1987) 415-420.	i l						
		CC1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical							
			order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.							
		CD1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in							
			GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.							
		CE1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg),							
			network connectivity and nanoscale chemical phase separation in chalcogenides. Dept. of							
i i			ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.							
		CF1	Boolchand, P.; Grothaus, J. Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses							
			compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17th (1985) 833-36.	i						
		CG1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in							
		/	network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.							
		CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen							
l í			chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.							
		CI1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and							
1			cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.	ا ا						
		CJ1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chemyak, L.; Gartsman, K.; Jakubowicz, A., Room-	,						
			Temperature, electric field induced creation of stable devices in CuInSe2 Crystals, Science	i i						
			258 (1992) 271-274.							
		CK1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and	<b> </b>						
1		<b>/</b>	memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.							
		CL1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films,							
1 1			Appl. Phys. Lett. 37 (1980) 1075-1077.	1						
		CM1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped	$\vdash$						
			chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.							
	_	CN1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass.							
			J. Non-Cryst. Solids 220 (1997) 249-253.							
	,	CO1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory	$\vdash$						
1	ノ		device, J. Non-Cryst. Solids 8-10 (1972) 885-891.							
1.	,		Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic							
W	7		conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.							
57	, 1	CQ1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J.							
\ \\	~		Appl. Phys. 38 (1967) 753-756.							
W	וכ	CR1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.							
			Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide							
1 4	ا إد		films, Rep. Prog. Phys. 33 (1970) 1129-1191.							
(	$\mathcal{T}$	CT1/	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-							
~~~										

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Tredemark Office; U.S. DEPARTMENT OF COMMERCE
The Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/I	PTO	•	Complete if Known		
		. , •		Application Number	10/614,160	
11	NFORMATIC	ON DISC	CLOSURE	Filing Date	July 8, 2003	
S	STATEMENT	ΓBY AF	PLICANT	First Named Inventor	John T. Moore, et al.	
				Group Art Unit	4818 - V27	
	(use as many	sheets as ned	cessary) /	Examiner Name	Not Yet Assigned V. Warre	
Sheet	6	of	.11		M4065.0715/P715	

	1	Se, J. Non-Cryst. Solids 143 (1992) 162-180.
1	CU1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40
W	/	(1982) 812-813.
	CV1	Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous
1.00		silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-
	. <i> </i>	Cryst. Solids 198-200 (1996) 829-832.
	CW1	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid
IW		Films 110 (1983) 107-113.
	CX1 /	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-
	7	x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.
	CY1	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous
1 1	/	chalcogenide thin films, Thin Solid Films 218 (1992)259-273.
	CZ1	El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thin films
		from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460.
	CA2	El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian J.
		Phys. 70A (1996) 507-516.
	CB2	Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide
	/	materials, J. Non-Cryst. Solids 130 (1991) 85-97.
	CC2	Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J.
	/	Non-Cryst. Solids 137-138 (1991) 1031-1034.
	CD2	Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching
	-	state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707.
	CE2	El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties
1 /	/	of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240.
	CF2	Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous
	/	chalcogenide glass, Vacuum 44 (1993) 851-855.
	CG2	Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Vacuum
	/	43 (1992) 253-257.
	CH2	Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide
		glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.
	CI2	Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity
li	/	on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222
		(1997) 137-143.
	CJ2	Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in
		photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403.
	CK2	Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous
		selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.
	CL2	Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst.
		Solids 6 (1971) 49-71.
	CM2	Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of
		Materials Science 2 (1972) 697-744.
	CN2	Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag2Se can be
		synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001)
	1000	currently ASAP.
1101	CO2	Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based
VIV	/	on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989)
<u> </u>	CDO	1013-1018.
112/	CP2	Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation creep
I VP		of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-
1 x /	1002	Cryst. Solids 298 (2002) 260-269.
LVY	CQ2/	Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughness, and

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
URBINE Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	estitute for form 1449B/P	то		Complete if Known		
				Application Number	10/614,160	
11	<b>IFORMATIC</b>	N DIS	CLOSURE	Filing Date	July 8, 2003	
S	TATEMENT	BY A	PPLICANT	First Named Inventor	John T. Moore, et al.	
				Group Art Unit	4818 2827	
	(use as many	sheets as n	ecessary)	Examiner Name	Not Yet Assigned V. Naveg	
Sheet · 7 of 11			11	Attorney Docket Number	M4065.0715/P715	

		scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52.
w	CR2	Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154.
W	CS2	Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.
u	CT2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.
	CU2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.
	CV2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.
	CW2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.
	CX2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.
	CY2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.
	CZ2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.
	CA3	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Subмicron Lithography, pp. 24-29 (1982).
	CB3	Hilt, Dissertation: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999).
	CC3	Hirose et al., High Speed Memory Behavior and Reliability of an Amorphous As <sub>2</sub> S <sub>3</sub> Film Doped Ag, Phys. Stat. Sol. (a) 61, pp. 87-90 (1980).
	CD3	Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As2S3 films, J. Appl. Phys. 47 (1976) 2767-2772.
	CE3	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. Секам. Soc., No. 3-4, pp. 183-188 (March-April 1979).
	CF3	Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.
	CG3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.
	CH3/	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.
	CI3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal- non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.
	CJ3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.
W	СКЗ	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983).
W	/ CL3	Jizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.
W	СМЗ	Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

			5, no persons are required to n	espond to a collection of inform	nation unless it contains a valid OMB control number.		
TRAQE	bstitute for form 1449B/PTC	)		Complete if Known			
				Application Number	10/614,160		
11	<b>VFORMATION</b>	N DI	SCLOSURE	Filing Date	July 8, 2003		
S	STATEMENT I	BY A	APPLICANT	First Named Inventor	John T. Moore, et al.		
				Group Art Unit	4818 2827		
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned V. Nave	en	
Sheet 8 of 11				Attorney Docket Number	M4065.0715/P715		

		5 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
IN	CN3	lýetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.
W	CO3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18.
M	CP3	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.
	CO3	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res. Bull. 8 (1973) 433-442.
		Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.
	CS3	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-CRYST. SOLIDS, pp. 1231-1234 (1993).
	СТЗ	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.
	CU3	Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.
	. /	Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Agx(GeSe3)1-x (0<=x<=0.571) glasses, Solid state Ionics 123 (1999) 259-269.
	1	Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193.
		Kólobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.
	CY3/	Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030.
		Kolobov et al., Photodoping of amorphous chalcogenides by metals, Advances in Physics, 1991, Vol. 40, No. 5, pgs. 625-684.
		Korkinova, Ts.N.; Andreichin,R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259.
	CB4	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTI chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.
	CC4/	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.
	CD4	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000
	CE4	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000
	CF4	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.
	CG4	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488.
	CH4	Kozicki et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering 63 (2002) pgs 155-159.
W	CI4	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19.
W	CJ4	Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304.
W	CK4	Lelmer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132.
·	·	Wind and the second sec

OIPE	VC/1						
EE 0'2'	.0	he Paperwork Reduction Ac	l of 199	5, no persons are required to r	U. S. Patent and Traden	PTO/SB/08B (10-01) roved for use through 10/31/2002.OMB 0851-0031 hark Office: U.S. DEPARTMENT OF COMMERCE nation unless it contains a valid OMB control number	Í
A TRA	Sul	bstitute for form 1449B/PTC	,			Complete if Known	
					Application Number	10/614,160	
	IN	<b>IFORMATION</b>	I DI	SCLOSURE	Filing Date	July 8, 2003	
	S	TATEMENT I	3Y /	APPLICANT	First Named Inventor	John T. Moore, et al.	
					Group Art Unit	4818 V827	
		(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned V. NAWY	en
	Sheet	9	of	11	Attorney Docket Number	M4065.0715/P715	

CL4 Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545.  CMM Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1567-1662.  CNA Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.  CNA Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.  CNA Mazurier, F.; Levy, M.; Souquet, J.L., Reversible and Irreversible electrical switching in TeO2-V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185-C2-188.  McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects of electron and ultraviolet radiation, 20 J. Phys. C.; Solid State Phys., pp. 4055-4075 (1987) Messoussi, R.; Bemedo, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of MiSe structures (MeNLBI), Mat. Chem. And Phys. 28 (1991) 253-258.  CR4 Milktova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.  CS4 Milktova, M.; Kozicki, M.N.; Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.  CT4 Milktova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.  CU4 Mystani, Sy., Electrical and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.  CV4 Mystani, Sy., Electrical and opicic and opicic and opicic and opicic and opicic and conduction in glasses containing transition metal lons, J. Non-Cryst. Solids 1 (1989) 1-17.  CV4 Mystani, Sy., Inoinc conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1989) 1-17.  CV4 Mystani, Sy., Inoinc conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Jap				
CM4 Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.  CN4 Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jn. J. Appl. Phys. 11 (1972) 608.  CO4 Mazurler, F.; Levy, M.; Souquet, J.L., Reversible and irreversible electrical switching in TeO2-V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.  CP4 McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.; Solid State Phys., pp. 4055-4075 (1987) electron and ultraviolet radiation, 20 J. Phys. C.; Solid State Phys., pp. 4055-4075 (1987) electron and ultraviolet radiation, 20 J. Phys. C.; Solid State Phys., pp. 4055-4075 (1987) electron and ultraviolet radiation, 20 J. Phys. C.; Solid State Phys., pp. 4055-4075 (1987) electron districts and constraint theory. J. Non-Cryst. Solids 240 (1989) 1-21.  CR4 Milkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.  CT4 Milkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses. Phys. Rev. Lett. 83 (1999) 3848-3851.  CU4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1983) 317.  CW4 Miyatani, Sy., Leitectrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1988) 317.  CW4 Miyatani, Sy., Lonic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1983) 143-434.  Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1988) 1-17.  CY4 Nakayama, K.; Kijma, K.; Hayakawa, F.; Imal, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 32 (1993) 564-569.  Alaryana, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide n	W	CL4		
Selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.  CO4 Mazurler, F.; Levy, M.; Souquet, J.I., Reversible and irreversible electrical switching in TeO2-V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.  CC4 McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.; Solid State Phys., pp. 4055-4075 (1987)?  CQ4 Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of M/Se structures (M-R)IB), Mat. Chem. And Phys. 28 (1991) 253-258.  CR4 Milkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.  CS4 Milkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.  CI4 Milkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.  CU4 Milyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Milyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Molt, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1988) 1-17.  CY4 Most, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1988) 1-17.  CY4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Oven, A.E.; Edcomber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous	W	CM4	system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.	
CP4 McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f  CQ4 Messoussi, R.; Bernede, J.C.; Bernhida, S.; Abachi, T.; Latef, A., Electrical characterization of M/Se structures (M=Nl,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.  CR4 Milkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory. J. Non-Cryst. Solids 240 (1998) 1-21.  CS4 Milkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.  CT4 Milkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an addilive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.  CU4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 34 (1973) 423-432.  CV4 Miyatani, Sy., Isclatical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Miyatani, Sy., Isclatical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1988) 1-17.  CY4 Mayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CX4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CX5 Nappl. Phys. 39 (2000) 6157-6161.  CX6 Nappl. Phys. 39 (2000) 6157-6161.  CX7 Nappl. Phys. 39 (2000) 6157-6161.  CX8 Narayama, R.; Kasolam, S.; Kurayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 15 (1976) 849-853.  CX5 Nappl. Phys. 39 (2000) 6157-6161.  CX6 Nappl. Phys. 39 (2000) 6157-6161.  CX7 Nappl. Phys. 39 (2000) 6157-6161.	M	CN4	selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.	
CQ4   Messousi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Later, A. Electrical characterization of M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.			V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.	
<ul> <li>MiSe structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.</li> <li>CR4 Mitkova, M.; Bootchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.</li> <li>CS4 Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.</li> <li>CT4 Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.</li> <li>CU4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.</li> <li>CW4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.</li> <li>CW4 Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 986-1002.</li> <li>CX4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.</li> <li>CY4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.</li> <li>CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imal, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.</li> <li>CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.</li> <li>CB5 Narayanan, R.a.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.</li> <li>CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, lefter in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.</li> <li>CC5 Ovshinsky, S.R.; Fritzsche, H., Reversible switching phenomena in disordered</li></ul>		CP4	electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f	
and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.  CS4 Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.  CT4 Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.  CU4 Miyatani, Sy., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.  CV4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.  CX4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  CY4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imal, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Aleale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, lEEE transactions on electron dev. Ed-20 (1973) 195-209.  Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Metalurgical transactions 2 (1971) 641-645.  CC5 Oven, A.E.; Le Comber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CM5 Oven, A.E.; Le			M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.	
metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.  CT4 Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.  CU4 Miyatani, Sy., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.  CV4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.  CX4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  CY4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imal, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, lEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky, S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Metallurgical transactions 2 (1971) 641-645.  CC5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CH5 Owen, A.E.; Le Comber, P.G.			and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.	
cut Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 34 (1973) 423-432.  Cv4 Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  Cw4 Miyatani, Sy., Isinci conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.  Cx4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  Cv4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  Cv4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  Cv4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  Cz4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imal, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  Ca5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Naele, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky, S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Metalurgical transactions 2 (1971) 641-645.  CC5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CC65 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  Owen, A.E.; Le Comber, P.G.; Sarrabayrouse, G.; Spear, W.E.,		/	metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.	
CV4 Miyatani, Sy., Ielectrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.  CW4 Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.  CX4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  CY4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Nale, T.T.; Chuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CC5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Oven, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CM5 Oven, A.E.; Le Comber, P.G			glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.	
CW4 (1959) 996-1002.  CX4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  CY4 Makayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, lEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky, S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CM5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CM5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CM6 Owen, A.E.; Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			(1973) 423-432.	
CW4 (1959) 996-1002.  CX4 Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.  CY4 Makayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, lEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky, S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CM5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CM5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CM6 Owen, A.E.; Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.	LL	CV4 /	Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.	
(1968) 1-17.  CY4 Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.		CW4	Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.	
transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.  CZ4 Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			(1968) 1-17.	
nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.  CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.	٠
CA5 Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.  CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phll. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			nonvolatile memory cell based on reversible phase transition in chalcogenide glasses. Jpn. J.	
CB5 Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.  CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.		CA5	Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical	
CC5 Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.  CD5 Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phll. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.	
semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.  CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories,	
CE5 Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.  CF5 Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.  CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  CI5 Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.	
electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54  CG5			Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.	
CG5			electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54	
CH5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.  Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.			Wen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.	
Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).  Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.	W		Ówen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.	
Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.	W		Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub- Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).	
CK5   Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the	W,		Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.	
	لهما	CK5	Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the	

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

ILS Patent and Trademark Office: LLS DEPARTMENT OF COMMERCE

Alloder	the Paper or Reduction Ac	t of 199	5, no persons are required to r		nark Office: U.S. DEPARTMENT OF COMMERCE nation unless it contains a valid OMB control number.		
Si	BAUL buildle for form 1449B/PTC	)	•	Complete If Known			
		-		Application Number	10/614,160		
11	VFORMATION	N DI	SCLOSURE	Filing Date	July 8, 2003	l	
5	STATEMENT	BY A	APPLICANT	First Named Inventor	John T. Moore, et al.	l	
				Group Art Unit	4818 - BZ7		
	(use as many sh	eets as	necessary)	Examiner Name	Not-Yet Assigned V. Now	ev	
Sheet	10	of	11	Attorney Docket Number	M4065.0715/P715	l	

<del></del>			
		chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223.	
W,	CL5	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.	
W	CM5	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537.	
W	CN5	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73.	
	CO5	Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008.	
	CP5	Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and Eng. B12 (1992) 219-222.	
	CQ5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.	
	CR5	Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170.	
	CS5	Rose,M.J.;Snell,A.J.;Lecomber,P.G.;Hajto,J.;Fitzgerald,A.G.;Owen,A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.	
	CT5	Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407.	
	CU5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.	
	CV5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427.	
	CW5	Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).	
	CX5	Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262.	
	CY5	Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021.	
	CZ5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122.	
	CA6	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329.	
	CB6	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57.	
		Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.	
	CD6	Tanaka, K.; lizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.	
	CE6	Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.	
W	CF6	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.	
S	CG6	Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.	
W/	CH6	Fichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281.	
$\mathcal{L}$	CI6 /	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te	_

DEE 0 2 2003

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number.

Substitu	te for form 1449B/	PTO		Complete if Known		
•				Application Number	10/614,160	
INF	ORMATIC	ON DI	SCLOSURE	Filing Date	July 8, 2003	
STA	TEMEN	T BY A	APPLICANT	First Named Inventor	John T. Moore, et al.	
			,	Group Art Unit	4818- V827	
	(use as many	sheets as	necessary)	Examiner Name	Not Yot Assigned V. NZowy	
Sheet 11 of 11			11	Attorney Docket Number	M4065.0715/P715	

	T	glasses, Phys. Rev. B 48 (1993) 14650-14652.	
<b></b>	CJ6	Tranchant, S.; Peytavin, S.; Ribes, M.; Flank, A.M.; Dexpert, H.; Lagarde, J.P., Silver chalcogenide	
	CJO	glasses Aq-Ge-Se: lonic conduction and exafs structural investigation, Transport-structure	
W	1 .		
	/	relations in fast ion and mixed conductors Proceedings of the 6th Riso International	
<u> </u>	CVE	symposium. 9-13 September 1985:-	
W	CK5	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory	
$\downarrow$	015	effects, Thin Solid Films 57 (1979) 49-54.	
w	CL5	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous	
<u> </u>		Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.	
	CM6	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced	
		filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.	
1	CIN	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J.	
		Non-Cryst. Solids 33 (1976) 267-272.	
	CO6	Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-	
	/	M system, Mat. Chem. And Phys. 21 (1989) 447-454.	
1	CP6	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance	
		Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.	
	CQ6	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors,	
	/	App. Phys. Lett. 16 (1970) 72-73.	
	CR6	West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the	
	<b>」 /</b>	AglAs0.24S0.36Ag0.40lAg System prepared by photodissolution of Ag, J. Electrochem. Soc.	
		145 (1998) 2971-2974	
	CS6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of	
}		multifractal aggregates, Ph.D. Dissertation, ASU 1998	
	CS7	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature,	
الماا		Tg, with average coordination number, <m>, in network glasses: evidence of a threshold</m>	
VI	1	behavior in the slope  dTg/d <m>  at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst.</m></m>	
		Solids 151 (1992) 149-154.	

Examiner Signature	Variejen	Date Considered	3/3//	2005

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

VIET Q. NGUYEN PRIMARY EXAMINER

Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.